

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1



Page 1/11

Multi-polish

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation:

Multi-polish

Other means of identification:

Article No. LPR-500

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Polishing agent.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ProGlass GmbH

Michael-Becker-Str. 2

73235 Weilheim an der Teck

GERMANY

Telephone: +49 7023 90013-0

Telefax: +49 7023 90013-23

E-mail: info@proglass.de

Website: www.proglass.de

E-mail (competent person): info@proglass.de

1.4 Emergency phone number

+49 7023 90013-0 (Only available during office hours.)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.
Supplemental hazard information	
EUH208	Contains (D)-limonene; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
Precautionary statements Prevention	
P273	Avoid release to the environment.
Precautionary statements Disposal	
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

Special rules for supplemental label elements for certain mixtures:

Labelling for contents according to regulation (EC) No. 648/2004:

5 - 15 % aliphatic hydrocarbons, < 5 % anionic surfactants, < 5 % non-ionic surfactants, Fragrances (Limonen, citral), Preservative (bronopol, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1

proGlass®

Page 2/11

Multi-polish

2.3 Other hazards

Adverse human health effects and symptoms:

Generation/formation of aerosols: May cause eye irritation.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Active agents in aqueous solution

Ingredients:

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Content
EC No.: 927-676-8 REACH No.: 01-2119456377-30	Hydrocarbons, C12-C16, isoalkanes, cyclics, < 2 % aromatics Asp. Tox. 1 (H304)  Danger EUH066	5 - < 7 weight-%
EC No.: 920-901-0 REACH No.: 02-2119456810-40	hydrocarbons, C11-C13, isoalkanes, < 2% aromatics Asp. Tox. 1 (H304)  Danger	1 - < 3 weight-%
CAS No.: 5989-27-5 EC No.: 227-813-5 Index No.: 601-096-00-2 REACH No.: 01-2119529223-47	(D)-limonene Aquatic Acute 1 (H400), Aquatic Chronic 3 (H412), Asp. Tox. 1 (H304), Flam. Liq. 3 (H226), Skin Irrit. 2 (H315), Skin Sens. 1B (H317)  Danger M-factor (acute): 1	0.3 - < 0.5 weight-%
CAS No.: 68439-50-9 EC No.: 500-213-3 REACH No.: 01-2119487984-16	alcohols, C12-14, ethoxylated Aquatic Acute 1 (H400), Aquatic Chronic 2 (H411)  Warning M-factor (acute): 10	0.1 - < 0.2 weight-%
CAS No.: 55965-84-9 Index No.: 613-167-00-5 REACH No.: 01-2120764691-48	Reaction mass of: 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) Acute Tox. 2 (H330, H310), Acute Tox. 3 (H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1C (H314), Skin Sens. 1A (H317)  Danger EUH071 M-factor (acute): 100 M-factor (chronic): 100 Specific concentration limit (SCL) Skin Corr. 1C; H314: C ≥ 0.6% Skin Irrit. 2; H315: 0.06% ≤ C < 0.6% Eye Dam. 1; H318: C ≥ 0.6% Eye Irrit. 2; H319: 0.06% ≤ C < 0.6% Skin Sens. 1A; H317: C ≥ 0.0015% Acute Toxicity Estimate ATE (oral) 100 mg/kg ATE (dermal) 50 mg/kg	< 0.0015 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1



Page 3/11

Multi-polish

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

Following ingestion:

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

May produce an allergic reaction. Observe risk of aspiration if vomiting occurs.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Carbon dioxide (CO₂), Dry extinguishing powder, alcohol resistant foam, Water spray jet.

5.2 Special hazards arising from the substance or mixture

No special measures are necessary.

Hazardous combustion products:

In case of fire may be liberated: carbon oxides (CO_x)

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Personal precautions:

Special danger of slipping by leaking/spilling product. Avoid contact with eyes and skin. Avoid breathing spray.

Protective equipment:

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Wear eye protection/face protection.

6.1.2 For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water with tenside additive

6.4 Reference to other sections

Safe handling: see section 7.

Personal protection equipment: see section 8.

Disposal: see section 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1

proGlass®

Page 4/11

Multi-polish

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid contact with eyes and skin. Avoid: generation/formation of aerosols. Avoid breathing spray. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Discharge into the environment must be avoided.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Wash hands and face before breaks and after work and take a shower if necessary. Take off contaminated clothing and wash it before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Conditions to avoid: Frost, UV-radiation/sunlight, Heat, Humidity

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Hints on storage assembly:

Do not store together with: Flammable solids, Flammable liquids. Radioactive substances. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Recommendation:

Polishing agent. Observe instructions for use.

SECTION 8: Exposure controls / Personal protection

8.1 Control Parameters

8.1.1 Occupational exposure limit values

No data available.

8.1.2 Biological limit values

No data available.

8.1.3 DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
(D)-limonene CAS No.: 5989-27-5 EC No.: 227-813-5	33.3 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
(D)-limonene CAS No.: 5989-27-5 EC No.: 227-813-5	833 mg/m ³	① DNEL consumer ② Long-term - inhalation, systemic effects
(D)-limonene CAS No.: 5989-27-5 EC No.: 227-813-5	476 mg/kg bw/day	① DNEL consumer ② Long-term - oral, systemic effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	700 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	206 mg/m ³	① DNEL consumer ② Long-term - inhalation, systemic effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	700 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1

proGlass®

Page 5/11

Multi-polish

Substance name	DNEL value	① DNEL type ② Exposure route
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	412 mg/m ³	① DNEL consumer ② Acute - inhalation, systemic effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	700 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	206 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	700 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	412 mg/m ³	① DNEL consumer ② Acute - inhalation, local effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	2,016 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	1,186 mg/kg	① DNEL consumer ② Long-term - dermal, systemic effects
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	59.4 mg/kg	① DNEL consumer ② Long-term - oral, systemic effects

Substance name	PNEC value	① PNEC type
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	0.207 mg/L	① PNEC aquatic, freshwater
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	0.207 mg/L	① PNEC aquatic, marine water
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	3.24 mg/L	① PNEC sewage treatment plant
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	16.68 mg/kg	① PNEC sediment, freshwater
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	16.68 mg/kg	① PNEC sediment, marine water
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	3.38 mg/kg	① PNEC soil
cyclohexane CAS No.: 110-82-7 EC No.: 203-806-2	0.207 mg/L	① PNEC aquatic, intermittent release
Reaction mass of: 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) CAS No.: 55965-84-9	0.00339 mg/L	① PNEC aquatic, freshwater
Reaction mass of: 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) CAS No.: 55965-84-9	0.00339 mg/L	① PNEC aquatic, marine water
Reaction mass of: 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) CAS No.: 55965-84-9	0.027 mg/L	① PNEC sewage treatment plant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1

proGlass®

Page 6/11

Multi-polish

Substance name	PNEC value	① PNEC type
Reaction mass of: 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) CAS No.: 55965-84-9	0.027 mg/kg	① PNEC sediment, freshwater
Reaction mass of: 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) CAS No.: 55965-84-9	0.027 mg/kg	① PNEC sediment, marine water
Reaction mass of: 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) CAS No.: 55965-84-9	0.01 mg/kg	① PNEC soil

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaust at critical locations.

8.2.2 Personal protection equipment

Eye/face protection:

Recommendation: Eye glasses with side protection (EN 166)

Skin protection:

Recommendation: Wear suitable gloves (EN ISO 374).

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: $\geq 0,35$ mm

Breakthrough time: ≥ 480 min

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. The exact breakthrough time must be requested from the protective glove manufacturer and must be observed. Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Respiratory protection:

Usually no personal respiratory protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Particle filter device (EN 143). Filter type P3

Other protection measures:

Wear suitable protective clothing.

8.2.3 Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: liquid

Form: liquid

Colour: white - light yellow

Odour: characteristic

Flammability: No

Safety relevant basic data

Parameter	Value	at	① Method ② Remark
pH	7 - 8	20 °C	
Melting point	No data available.		
Freezing point	No data available.		
Initial boiling point and boiling range	No data available.		
Decomposition temperature	not applicable		
Flash point	not applicable		
Evaporation rate	No data available.		
Auto-ignition temperature	not applicable		

[en EU]

GeSi.de

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1

proGlass®

Page 7/11

Multi-polish

Parameter	Value	at	① Method ② Remark
Upper/lower Flammability or explosive limits	<i>not applicable</i>		
Vapour pressure	<i>No data available.</i>		
Vapour density	<i>No data available.</i>		
Density	0.877 g/mL		
Bulk density	<i>not applicable</i>		
Water solubility			
Partition coefficient n-octanol/water, log Pow	<i>not applicable</i>		
Dynamic viscosity	<i>No data available.</i>		
Kinematic viscosity	> 20.5 mm ² /s	40 °C	
VOC content	86.8 g/L	20 °C	② EU, CH
flow time	30 – 45 s	20 °C	① 4 mm Jet diameter, EN ISO 2431

9.2 Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Frost, UV-radiation/sunlight, Heat, Humidity

10.5 Incompatible materials

oxidizing agent, strong; Reducing agent, strong

10.6 Hazardous decomposition products

No known hazardous decomposition products. In case of fire may be liberated: carbon oxides (COx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.
Generation/formation of aerosols: May cause eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met. Contains (D)-limonene; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1



Page 8/11

Multi-polish

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Additional ecotoxicological information:

Discharge into the environment must be avoided.

12.2 Persistence and degradability

Biodegradation:

Readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water, log Pow:

not applicable

Accumulation / Evaluation:

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Product/Packaging disposal

Waste codes/waste designations according to EWC

Waste code product

16 03 05 *	organic wastes containing hazardous substances
------------	--

*: Evidence for disposal must be provided.

Waste code packaging

15 01 06	mixed packaging
----------	-----------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1

proGlass®

Page 9/11

Multi-polish

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

Other disposal recommendations:

The allocation of waste code numbers / waste names must be carried out in accordance with the European Waste Catalogue (EWC). Do not allow to enter into surface water or drains. Collect in closed and suitable containers for disposal. Waste for disposal is to be classified and labelled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI-/IATA-DGR)
14.1 UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2 UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3 Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4 Packing group			
not relevant	not relevant	not relevant	not relevant
14.5 Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6 Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7 Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU legislation

Authorisations:

Contains no substances listed in REACH Annex XIV.

Restrictions on use:

Use restriction according to REACH annex XVII, no.: 3, 57, 75

Other regulations (EU):

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

The product does not contain substances of very high concern (SVHC) $\geq 0,1$ %.

VOC content (EU, CH): 86,8 g/L (9,9 weight-%)

15.1.2 National regulations

No data available.

15.2 Chemical Safety Assessment

For the following substances of this mixture a chemical safety assessment has been carried out: (D)-limonene; alcohols, C12-14, ethoxylated; (2-methoxymethylethoxy)propanol

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1

proGlass®

Page 10/11

Multi-polish

SECTION 16: Other information

16.1 Indication of changes

Changes executed in version 1.1:

Section 2: classification/Label elements

General revision of all sections

16.2 Abbreviations and acronyms

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC₅₀ = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC₅₀ = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemicals Information Database

LC₅₀ = Lethal concentration, 50%

LD₅₀ = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Content

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Content

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

European Chemicals Agency (ECHA): <https://www.echa.europa.eu>

ECHA, C&L Inventory: <https://echa.europa.eu/information-on-chemicals/cl-inventory-database>

ECHA, Registered substances: <https://echa.europa.eu/information-on-chemicals/registered-substances>

GESTIS, Information system on hazardous substances: <https://www.gestis.dguv.de/search>

GESTIS, International Limit Values: <https://limitvalue.ifa.dguv.de>

Hörath Gefährliche Stoffe und Gemische, 8. Auflage, Dr. Angela Schulz

Safety data sheets of the manufacturers

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27 Aug 2026

Print date: 27 Aug 2026

Version: 1.1



Page 11/11

Multi-polish

16.5 List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Supplemental hazard information	
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH071	Corrosive to the respiratory tract.

16.6 Training advice

No data available.

16.7 Additional information

The information in this safety data sheet has been established to our best knowledge and was up-to-date at time of revision. The information is intended to give you advice about the safe handling of the product for storage, processing, transport and disposal. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.