

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

Page 1/9

proGlass[®]

PUR Auto Glass Adhesive

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation:

PUR Auto Glass Adhesive

Other means of identification:

UFI: 0J10-907R-A00H-RGUG

Article No.:

SK-1060B, SK-1060K

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Adhesives, sealants.

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ProGlass GmbH

Michael-Becker-Str. 2

73235 Weilheim an der Teck

GERMANY

Telephone: +49 7023 90013-0

Telefax: +49 7023 90013-23

E-mail: info@proglass.de

Website: www.proglass.de

E-mail (competent person): info@proglass.de

1.4 Emergency phone number

24h: +49 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (<i>Resp. Sens. 1</i>)	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.	Calculation

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS08

Health hazard

Signal word: Danger

Hazard components for labelling:

4,4'-Methylenediphenyl diisocyanate, oligomers; 4,4'-methylenediphenyl diisocyanate

Hazard statements for health hazards

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

proGlass®

Page 2/9

PUR Auto Glass Adhesive

Supplemental hazard information

EUH204 Contains isocyanates. May produce an allergic reaction.

Precautionary statements - Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

Precautionary statements - Response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Precautionary statements - Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3 Other hazards

No data available.

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Ingredients:

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Content
CAS No.: 71662-46-9 EC No.: 275-809-7	1,2-Benzenedicarboxylic acid, di-C8-10-alkyl esters The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	> 10 - < 20 weight-%
CAS No.: 28553-12-0 EC No.: 249-079-5	Diisononyl phthalate The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	> 1 - < 10 weight-%
CAS No.: 25686-28-6 EC No.: 500-040-3	4,4'-Methylenediphenyl diisocyanate, oligomers Acute Tox. 4, Carc. 2, Eye Irrit. 2, Resp. Sens. 1, STOT RE 2, STOT SE 3, Skin Irrit. 2, Skin Sens. 1 Danger H315-H317-H319-H332-H334-H335-H351-H373	> 0.1 - < 1 weight-%
CAS No.: 101-68-8 EC No.: 202-966-0	4,4'-methylenediphenyl diisocyanate Acute Tox. 4, Carc. 2, Eye Irrit. 2, Resp. Sens. 1, STOT RE 2, STOT SE 3, Skin Irrit. 2, Skin Sens. 1 Danger H315-H317-H319-H332-H334-H335-H351-H373	> 0.1 - < 1 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Get medical advice/attention if you feel unwell.

In case of skin contact:

Remove contaminated, saturated clothing immediately. Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. In case of skin irritation, consult a physician.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

Page 3/9



PUR Auto Glass Adhesive

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Let water be drunk in little sips (dilution effect). Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause skin irritation. May cause eye irritation. May cause respiratory irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO₂), Sand, Extinguishing blanket

Unsuitable extinguishing media:

Strong water jet

5.2 Special hazards arising from the substance or mixture

Exothermic reaction with: Water, Formation of carbon dioxide (CO₂), Danger of bursting container.

Hazardous combustion products:

In case of fire may be liberated: Isocyanates, Nitrogen oxides (NO_x), carbon oxides (CO_x). Possible in traces: Hydrogen cyanide (hydrocyanic acid)

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Heating causes rise in pressure with risk of bursting. Move undamaged containers from immediate hazard area if it can be done safely. Beware of reignition. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Personal precautions:

Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour/aerosol. Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection. See section 8.

6.1.2 For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Disposal: see section 13.

For cleaning up:

Clean floors and contaminated objects with: Water with tenside additive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

Page 4/9



PUR Auto Glass Adhesive

6.4 Reference to other sections

Safe handling: see section 7.

Personal protection equipment: see section 8.

Disposal: see section 13.

6.5 Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Advices on safe handling:

Provide adequate ventilation. Conditions to avoid: Aerosol or mist formation. While curing by reaction with moisture the following substances are formed and released: carbon dioxide (CO₂). Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes. Always close containers tightly after the removal of product. Wear personal protection equipment (refer to section 8).

Environmental precautions:

Discharge into the environment must be avoided.

Advices on general occupational hygiene

Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Protect from frost and heat. Protect from moisture.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Hints on storage assembly:

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Recommendation:

Adhesives, sealants.

Observe instructions for use.

SECTION 8: Exposure controls / Personal protection

8.1 Control parameters

8.1.1 Occupational exposure limit values

Limit value type (country)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
WEL (GB)	Diisononyl phthalate CAS No.: 28553-12-0	① 5 mg/m ³
IOELV (EU)	Carbon dioxide CAS No.: 124-38-9	① 5,000 ppm (9,000 mg/m ³)
WEL (GB)	Carbon dioxide CAS No.: 124-38-9	① 5,000 ppm (9,150 mg/m ³) ② 15,000 ppm (27,400 mg/m ³)

8.1.2 Biological limit values

No data available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

PROGlass®

Page 5/9

PUR Auto Glass Adhesive

8.1.3 DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route ③ Exposure time
4,4'-Methylenediphenyl diisocyanate, oligomers CAS No.: 25686-28-6	0.05 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
4,4'-Methylenediphenyl diisocyanate, oligomers CAS No.: 25686-28-6	0.1 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
4,4'-Methylenediphenyl diisocyanate, oligomers CAS No.: 25686-28-6	0.05 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
4,4'-Methylenediphenyl diisocyanate, oligomers CAS No.: 25686-28-6	0.1 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
4,4'-Methylenediphenyl diisocyanate, oligomers CAS No.: 25686-28-6	50 mg/kg	① DNEL worker ② Acute - dermal, systemic effects ③ 24 h

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaust at critical locations.

8.2.2 Personal protection equipment



Eye/face protection:

Eye glasses with side protection (EN 166).

Skin protection:

Tested protective gloves must be worn (EN ISO 374).

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material $\geq 0,5$ mm

Suitable material: IIR (Butyl rubber)

Thickness of the glove material $\geq 0,7$ mm

Breakthrough time: ≥ 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. Recommendation: Draw up and observe skin protection programme.

Respiratory protection:

Usually no personal respiratory protection necessary. Provide adequate ventilation. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Combination filtering device, Filtering device (full mask or mouthpiece) with filter: A/P2

Other protection measures:

Wear suitable protective clothing.

8.2.3 Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: liquid, pasty

Colour: black

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

Page 6/9

PUR Auto Glass Adhesive

Odour: slightly sweet

Safety relevant basic data

Parameter		at	Method	Remark
pH	<i>not applicable</i>			
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature	<i>not determined</i>			
Flash point	> 100 °C			estimated
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not applicable</i>			
Density	1.33 g/ml			
Bulk density	<i>not applicable</i>			
Water solubility	insoluble			decomposition
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>			

9.2 Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions. Exothermic reaction with: Water, Formation of carbon dioxide (CO₂), Danger of bursting container. Violent reaction with: Oxidising agent, strong; Reducing agent, strong; Acid, concentrated; Alkali (lye), concentrated; ME-compounds

10.4 Conditions to avoid

Keep away from heat. Protect from moisture.

10.5 Incompatible materials

oxidizing agent, Reducing agent, Acids, alkali (lye), ME-compounds.

10.6 Hazardous decomposition products

In case of fire may be liberated: Isocyanates, Nitrogen oxides (NO_x), carbon oxides (CO_x). Possible in traces: Hydrogen cyanide (hydrocyanic acid) Decomposition with: Water, Formation of carbon dioxide (CO₂).

Further information

No data available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

Page 7/9



PUR Auto Glass Adhesive

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

May cause skin irritation.

Serious eye damage/irritation:

May cause eye irritation.

Respiratory or skin sensitisation:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.
methylenediphenyl diisocyanate(MDI)/4,4'-Methylenediphenyl diisocyanate, oligomers; Aerosol, Longterm animal experiment.: May cause cancer by inhalation.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met. particulates and dust: May cause respiratory irritation.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.
ingredients in Longterm animal experiment.: May cause damage the named organs: kidneys, liver.
methylenediphenyl diisocyanate(MDI)/4,4'-Methylenediphenyl diisocyanate, oligomers; Aerosol, Longterm animal experiment.: May cause damage to organs through prolonged or repeated exposure.
Organs affected: Respiratory tract, lung

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Biodegradation:

Poorly biodegradable.

12.3 Bioaccumulative potential

Accumulation / Evaluation:

No indication of bioaccumulation potential.

12.4 Mobility in soil

Not relevant.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No data available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

Page 8/9



PUR Auto Glass Adhesive

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Dispose of waste according to applicable legislation. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Other disposal recommendations:

The allocation of waste code numbers / waste names must be carried out in accordance with the European Waste Catalogue (EWC). Collect in closed and suitable containers for disposal. Do not allow to enter into surface water or drains.

13.2 Additional information

Waste for disposal is to be classified and labelled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI-/IATA-DGR)
14.1 UN-No.			
-	-	-	-
14.2 UN proper shipping name			
Not restricted	Not restricted	Not restricted	Not restricted
14.3 Transport hazard class(es)			
No data available.			
14.4 Packing group			
No data available.			
14.5 Environmental hazards			
No data available.			
14.6 Special precautions for user			
No data available.			

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

Additional information:

No data available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU legislation

Other EU regulations:

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

15.1.2 National regulations

No data available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 7 Jan 2021

Print date: 14 Jan 2021

Version: 2.1

Page 9/9



PUR Auto Glass Adhesive

15.2 Chemical Safety Assessment

No data available.

SECTION 16: Other information

16.1 Indication of changes

Changes executed in version 2.0:

Section 2: classification, Label elements

General revision

Changes executed in version 2.1:

Section 1: UFI

General revision

16.2 Abbreviations and acronyms

See overview table at www.euphrac.eu

16.3 Key literature references and sources for data

European Chemicals Agency (ECHA): <http://www.echa.europa.eu>

ECHA, C&L Inventory: <http://echa.europa.eu/information-on-chemicals/cl-inventory-database>

ECHA, Registered substances: <http://echa.europa.eu/information-on-chemicals/registered-substances>

GESTIS (Gefahrstoffinformationssystem der DGUV): <http://www.dguv.de/ifa/GESTIS/index.jsp>

Hörath Gefährliche Stoffe und Gemische, 8. Auflage, Dr. Angela Schulz

Safety data sheets of the manufacturers

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (<i>Resp. Sens. 1</i>)	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.	Calculation

16.5 Relevant H- and EUH-phrases

Hazard statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

16.6 Training advice

No data available.

16.7 Additional information

The information in this safety data sheet has been established to our best knowledge and was up-to-date at time of revision. The information is intended to give you advice about the safe handling of the product for storage, processing, transport and disposal. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.